



# Test Definition: FRT3S

T3 Reverse, LC/MS/MS

## Overview

### Method Name

Chromatography/Mass Spectrometry

### NY State Available

Yes

## Specimen

### Specimen Type

Serum

### Specimen Required

**Collection Container/Tube:** Red top or serum gel

**Submission Container/Tube:** Plastic vial

**Specimen Volume:** 0.5 mL Serum

#### Collection Instructions:

1. Allow blood to clot at room temperature for 30 minutes.
2. Within 24 hours of collection, centrifuge and aliquot serum immediately into a plastic vial.
3. Send frozen.

### Specimen Minimum Volume

Serum: 0.3 mL

### Reject Due To

Specimen received in serum gel separator (SST) tube	Reject
---	--------

### Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen (preferred)	30 days	
	Ambient	7 days	
	Refrigerated	7 days	

**Clinical & Interpretive****Clinical Information**

Refer to <https://testdirectory.questdiagnostics.com/test/home>

**Reference Values**

8-25 ng/dL

**Performance****PDF Report**

No

**Day(s) Performed**

Daily

**Report Available**

4 to 8 days

**Performing Laboratory Location**

Quest Diagnostics Nichols Institute

**Fees & Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

**Test Classification**

This test was developed, and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**CPT Code Information**

84482

**LOINC® Information**

Test ID	Test Order Name	Order LOINC® Value
FRT3S	T3 Reverse	3052-8

---

Result ID	Test Result Name	Result LOINC® Value
FRT3S	T3 Reverse	3052-8