

## Soluble Liver Antigen (SLA) Autoantibody

**Test ID:** FSLAA

**Explanation:** Effective July 7, 2026, Test ID FSLAA, referred to Quest Diagnostics SJC, will be obsolete due to availability of Mayo test SLA.

**Recommended Alternative Test:**

## Soluble Liver Antigen (SLA) IgG Antibodies, Serum

**Test ID:** SLA

**Methodology:**

Enzyme-Linked Immunosorbent Assay (ELISA)

**Reference Values:**

Negative: <20.0 U

Equivocal: 20.0-24.9 U

Positive: > or = 25.0 U

**Specimen Requirements:**

**Supplies:** Sarstedt Aliquot Tube, 5 mL (T914)

**Collection Container/Tube:**

**Preferred:** Serum gel

**Acceptable:** Red top

**Submission Container/Tube:** Plastic vial

**Specimen Volume:** 0.5 mL Serum

**Collection Instructions:** Centrifuge and aliquot serum into a plastic vial.

**Specimen Minimum Volume**

Serum: 0.4 mL

**Specimen Stability Information:**

Specimen Type	Temperature	Time
Serum	Refrigerated (preferred)	21 days
	Frozen	21 days

**CPT Code:**

83516

**Day(s) Setup:** Monday**Report Available:** 2 to 8 days**Questions**

Contact MCS Referrals Supervisors Amy Bluhm or Heather Hilgart at 800-533-1710.